

A

B

C

D

E

F

G

H

J

K

L

GENERAL NOTES:

1. NO DIMENSIONS TO BE SCALED.
2. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCING ANY SITE WORK OR SHOP DRAWINGS.
3. DIMENSIONS ARE TAKEN TO CENTRE LINES OR STRUCTURAL SURFACES AND DO NOT INCLUDE FINISHES EXCEPT WHERE OTHERWISE STATED.
4. THE ARCHITECT IS TO BE NOTIFIED OF ANY DISCREPANCIES BETWEEN THIS DRAWING AND ANY OTHER DRAWING OR CONSTRUCTION DOCUMENTS INCLUDING THOSE ISSUED BY CONSULTANTS AND NOMINATED SUB-CONTRACTORS BEFORE COMMENCING WORK.
5. MINIMUM STRENGTH POF CONCRETE 21Mpa

1

2

3

4

ISSUED FOR MEASUREMENT PURPOSES

CLIENT

SOUTHERN AFRICAN DEVELOPMENT COMMUNITY

JOB TITLE

SADC STRANDBY FORCE REGIONAL LOGISTICS DEPOT, AT RASESA, GABORONE, BOTSWANA.

DWG TITLE

KITCHEN & CANTEN - WINDOW SCHEDULE

SCALE AS SHOWN

DATE FEBRUARY 2022

REV. A

PROJECT TEAM:

Architect

Quantity Surveyor

Electrical Engineers

Structural Engineers

Cost Engineers

Building Services Engineers

DATA SOURCES

Tanner & Trenchard(Pty)Ltd

Geotechnical Engineers(Pty)Ltd

Structural Engineers(Pty)Ltd

Building Services Engineers(Pty)Ltd

PM&A ARCHITECTS (PTY) LTD

P.O. BOX 20184 BROWTTING

TEL: 30998123 FAX: 3099814

E-MAIL: [frangib@pm&a.co.bw](mailto:frangib@pm&a.co.bw)

DRWG No

G649-SADC/ARCH/012/1-404

04/02/22

DESCRIPTION

ISSUED FOR STAGE 3 COORDINATION

WINDOW SCHEDULE

WINDOW NUMBERS	W1		W2		W3		W4		W5		W6		W7		W8		W9	
	REQUIRED NO.4	W1	REQUIRED NO. 4	W2	REQUIRED NO. 11	W3	REQUIRED NO.1	W4	REQUIRED NO. 3	W5	REQUIRED NO. 1	W6	REQUIRED NO. 1	W7	REQUIRED NO. 1	W8	REQUIRED NO. 1	W9
W1-01, W1-02, W1-03, W1-04			W2-01, W2-02, W2-03, W2-04		W3-01, W3-02, W3-03, W3-04, W3-05, W3-06, W3-07, W3-08, W3-09, W3-10, W3-11		W4-01		W5-01, W5-04, W5-05		W6-01		W7-01		W8-01		W9-01	
FRAME	Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame	
GLAZING	Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10		Flush glazing frame with 6,38mm thick solar shield glass s10	
ACCESSORIES	N/A		N/A		N/A		N/A		N/A		N/A		N/A		N/A		N/A	

1800

900

1000

600

3600

2400

1200

2400

3000

2400

2300

2400

750

5720

2400

1850

2300

1850

3196

1475

3050

1475

8000

4049

APPLICABLE STANDARDS

The standard that shall apply in the design, manufacture and installation of all items in this schedule shall be **BOS 88:2016 Third Edition** being the **“Glazed aluminium alloy windows and doors for external use - Specification”**, as published by the Botswana Bureau of Standards.

- Doors and curtain walls are to be assembled from suitable, approved, 1,5mm thick aluminium profiles.
- Windows of standard size are to be assembled from suitable, approved, 1,5mm thick aluminium profiles.
- All joint sealing materials shall comply with the standards, and shall be adequate to prevent air and water leakage.
- All glass shall comply with safety requirements as specified by the standards.
- All assemblies shall comply with the safety and security requirements of the standards.
- All assemblies shall comply with the standards and must be UV resistant and scratch resistant to the minimum standard.
- PREVENTION OF THERMAL CRACKS:** The standards and must be UV resistant and scratch resistant to the minimum standard.
- The supplier of thermal breaks must provide evidence of thermal breaks by adequately polishing all edges and applying all other measures required. Contact between glass and metal must be avoided.

**ALL INSTALLATIONS MUST BE TO APPROVED SHOP DRAWINGS.**

WINDOW SCHEDULE

1

1:NTS

7