

GUARD HOUSE

DOOR SCHEDULE														
REFERENCE POSITION	SINGLE EXTERNAL DOOR ON BRICK WALL (EXTERNAL DOORS)		SINGLE DOORS ON BRICK WALL (BEDROOM/PASSAGE/STORAGE DOORS)		SINGLE DOOR ON BRICK WALL (TOILET DOORS)		SINGLE DOOR ON BRICK WALL (MALE TOILET DOOR)		TOILET DUCT DOOR ON BRICK WALL		BRICK WALL (ARMOURY)		SINGLE DOOR ON BRICK WALL(FEMALE TOILET DOOR)	
ELEVATION														
DOOR TYPE	D01		D02		D03		D04		D05		D06		D07	
DESCRIPTION	900*2032 MM PLAIN SOLID-CORE-FLUSH PANEL EXTERNAL QUALITY DOOR PROTECTED WITH HARDWOOD LIPPINGS TO ALL EDGES. SINGLE LEAF.		813*2032MM PLAIN SEMI SOLID-CORE-FLUSH PANEL INTERNAL QUALITY DOOR PROTECTED WITH HARDWOOD LIPPINGS TO ALL EDGES. SINGLE LEAF.		813*2032MM PLAIN SEMI SOLID-CORE-FLUSH PANEL INTERNAL QUALITY DOOR PROTECTED WITH HARDWOOD LIPPINGS TO ALL EDGES. SINGLE LEAF.		813*2032MM PLAIN SEMI SOLID-CORE-FLUSH PANEL INTERNAL QUALITY DOOR PROTECTED WITH HARDWOOD LIPPINGS TO ALL EDGES. SINGLE LEAF.		600*2032MM WIDE STYLE SINGLE LEAF ALUMINIUM DOOR WITH LAZY "Z" LOUVRES		Chubb SANS 849:2005 approved right hand opening category 2 heavy duty strong room door and frame, constructed of 20mm steel plate finished with Grey zinc chromate rust resistant primer, mass 405kg, with one-way moving boltwork with 3 x 250mm round bolts with rebate on hinged side with ps_concat_and("2 x 7-lever keylocks", "1 x combination lock", "inner release mechanism", "floor mounted door stop"), all to fit wall opening of 1930 x 850mm wide.		813*2032MM PLAIN SEMI SOLID-CORE-FLUSH PANEL INTERNAL QUALITY DOOR PROTECTED WITH HARDWOOD LIPPINGS TO ALL EDGES. SINGLE LEAF.	
ACCESSORIES	STAINLESS STEEL PUSH PLATE & KICK PLATE FULL DOOR WIDTH BOTH SIDES		STAINLESS STEEL PUSH PLATE & KICK PLATE FULL DOOR WIDTH BOTH SIDES		STAINLESS STEEL PUSH PLATE & KICK PLATE FULL DOOR WIDTH BOTH SIDES		STAINLESS STEEL PUSH PLATE & KICK PLATE FULL DOOR WIDTH BOTH SIDES						STAINLESS STEEL PUSH PLATE & KICK PLATE FULL DOOR WIDTH BOTH SIDES	
FRAME	PRESSED STEEL FRAME SINGLE REBAT 900*2032. THE MIDDLE TRANSOM PREPARED TO RECEIVE DOOR CLOSER COMPLETE WITH TIE BARS,LAGS & 1-1/2 PAIRS OF STEEL BUTT HINGES		PRESSED STEEL FRAME SINGLE REBAT813*2032 WITH 305 FANLIGHT. THE MIDDLE TRANSOM PREPARED TO RECEIVE DOOR CLOSER COMPLETE WITH TIE BARS,LAGS & 3 PAIRS OF STEEL HINGES		PRESSED STEEL FRAME SINGLE REBAT813*2032 WITH 305 FANLIGHT. THE MIDDLE TRANSOM PREPARED TO RECEIVE DOOR CLOSER COMPLETE WITH TIE BARS,LAGS & 1-1/2 PAIRS OF STEEL BUTT HINGES		PRESSED STEEL FRAME SINGLE REBAT813*2032MM THE MIDDLE TRANSOM PREPARED TO RECEIVE DOOR CLOSER COMPLETE WITH TIE BARS,LAGS & 1-1/2 PAIRS OF STEEL BUTT HINGES						ALLUMINIUM FRAME ALUMINIUM DOOR FRAME SECTIONS TO SUIT DOOR TYPE AND SIZE	
WALL	280mm	395mm	115mm	230mm	115mm	230mm	115mm	230mm	115mm	395mm	230mm	115mm	230mm	
DOOR N° AS INDICATED ON PLAN	D01-01 D01-02 D01-14 D01-16	D01-13		D02-02 D02-06 D02-07 D02-08 D02-09 D02-12 D02-15		D03-03		D04-04 D04-10		D05-17	D06-1		D07-11	
TOTAL DOORS														
IRONMONGERY	IM - 24		IM - 24		IM - 05		IM - 04		IM - 03		TO MANUFACTURERS SPEC		IM - 12	

1 DOOR SCHEDULE
NTS

- GENERAL NOTES:
1. NO DIMENSIONS TO BE SCALED.
 2. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCING ANY SITE WORK OR SHOP DRAWINGS.
 3. DIMENSIONS ARE TAKEN TO CENTRE LINES OR STRUCTURAL SURFACES AND DO NOT INCLUDE FINISHES EXCEPT WHERE OTHERWISE STATED.
 4. THE ARCHITECT IS TO BE NOTIFIED OF ANY DISCREPANCIES BETWEEN THIS DRAWING AND ANY OTHER DRAWING OR CONSTRUCTION DOCUMENTS INCLUDING THOSE ISSUED BY CONSULTANTS AND NOMINATED SUB-CONTRACTORS BEFORE COMMENCING WORK.
 5. MINIMUM STRENGTH POF CONCRETE 21Mpa

ISSUED FOR
MEASUREMENT
PURPOSES

A ISSUED FOR STAGE 3 COORDINATION 04.02.22

REV.	DESCRIPTION	DATE
------	-------------	------

CLIENT

SOUTHERN AFRICAN
DEVELOPMENT COMMUNITY

JOB TITLE

SADC STANDBY FORCE REGIONAL
LOGISTICS DEPOT, AT RASESA,
GABORONE, BOTSWANA,

DWG TITLE

GUARD HOUSE - DOOR
SCHEDULE

SCALE	AS SHOWN	JOB No.	G649
DATE	JAN 2022	DRAWN BY	KT
REV.	A	CHECKED BY	AM

Project Team:

Architect	FMA Architects
Quantity Surveyor	Turner & Townsend (Pty) Ltd.
Electrical Engineers	G4 Consulting Engineers (Pty) Ltd.
Mechanical Engineers	G4 Consulting Engineers (Pty) Ltd.
Civil Engineers	Bohlanga Barnes Botswana (Pty) Ltd.
Structural Engineers	Bohlanga Barnes Botswana (Pty) Ltd.

FMA ARCHITECTS (PTY) LTD.

P.O. BOX 201504 BONTLENG
GABORONE, BOTSWANA
TEL: 3959812/3 FAX: 3959814
E-MAIL: fmagabs@info.bw

DRWG. No.
G649-SADC/ARCH/2/001 / 1-403