

WINDOW SCHEDULE																
	<div>W1</div> <div><div>1200</div><div>900</div></div>		<div>W2</div> <div><div>1650</div><div>900</div></div>		<div>W3</div> <div><div>985</div><div>2880</div></div>		<div>W4</div> <div><div>2216</div><div>900</div></div>		<div>W5</div> <div><div>1366</div><div>900</div></div>		<div>W6</div> <div><div>3877</div><div>602</div></div>		<div>W7</div> <div><div>3877</div><div>602</div></div>		<div>W8</div> <div><div>11310</div><div>1200</div></div>	
	WINDOW TYPE	REQUIRED NO	WINDOW TYPE	REQUIRED NO	WINDOW TYPE	REQUIRED NO	WINDOW TYPE	REQUIRED NO	WINDOW TYPE	REQUIRED NO	WINDOW TYPE	REQUIRED NO	WINDOW TYPE	REQUIRED NO	WINDOW TYPE	REQUIRED NO
	W1	4	W2	10	W3	8	W4	1	W5	2	W6	18	W7	18	W8	4
WINDOW NUMBERS	W1-01,W1-02,W1-03,W1-04		W2-01, W2-02,W2-03, W2-04,W2-05, W2-06 W2-07, W2-08,W2-09,W2-10		W3-01, W3-02,W3-03, W3-04,W3-05, W3-06 W3-07, W3-08		W4-01		W5-01, W5-02		W6-01,W6-02,W6-03,W6-04,W6-05,W6-06,W6-07 W6-08, W6-09, W6-10,W6-11,W6-12,W6-13,W6-14 W6-15,W6-16,W6-17, W6-18		W7-01, W7-02,W7-03, W7-04,W7-05, W7-06,W7-07, W7-08 W7-09, W7-10,W7-11,W7-12,W7-13,W7-14,W7-15,W7-16 W7-17, W7-18		W8-01, W8-02,W8-03, W8-04	
WINDOW FRAME	Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame		Powdercoated aluminium frame	
GLAZING	Flush glazing frame with 6.38mm thick solar sheild glass s10		Flush glazing frame with 6.38mm thick solar sheild glass s10		Flush glazing frame with 6.38mm thick solar sheild glass s10		Flush glazing frame with 6.38mm thick solar sheild glass s10		Flush glazing frame with 6.38mm thick solar sheild glass s10		Flush glazing frame with 6.38mm thick solar sheild glass s10		3877*602 purpose made Lazy "Z" Louvers on powdercoated aluminium frame		Flush glazing frame with 6.38mm thick solar sheild glass s10	
ACCESORIES	N/A		N/A		N/A		N/A		N/A		N/A		N/A		N/A	

APPLICABLE STANDARDS
The Standard that shall apply in the design, maufacturer and installation of all items in this Schedule shall be **BOS 88:2016 *Third Edition*** being the **"Glazed aluminium alloy windows and doors for external use - specification"**, as published by the Botswana Bureau of Standards.

1. Doors and curtain walls are to be assembled from suitable, approved, 1.8mm thick aluminium profiles.
2. Windows of standard size are to be assembled from suitable, approved, 1.5mm thick aluminium profiles.
3. All joint sealing materials shall comply with the standards, and shall be adequate to prevent air and water leakage.
4. All glass shall comply with safety requirements as specified by the Standards.
5. All assemblies shall comply with the Safety and Security requirements of the Standards.
6. All powder coating shall comply with the Standards and must be UV-resistant and scratch resistant to the minimum standard.
7. **PREVENTION OF THERMAL CRACKS:** The supplier must ensure the prevention of thermal cracks by adequately polishing all edges and applying all other measures required. Contact between glass and metal must be avoided.

ALL INSTALLATIONS MUST BE TO APPROVED SHOP DRAWINGS.

- GENERAL NOTES:
1. NO DIMENSIONS TO BE SCALED.
2. DIMENSIONS TO BE VERIFIED ON SITE BEFORE COMMENCING ANY SITE WORK OR SHOP DRAWINGS.
3. DIMENSIONS ARE TAKEN TO CENTRE LINES OR STRUCTURAL SURFACES AND DO NOT INCLUDE FINISHES EXCEPT WHERE OTHERWISE STATED.
4. THE ARCHITECT IS TO BE NOTIFIED OF ANY DISCREPANCIES BETWEEN THIS DRAWING AND ANY OTHER DRAWING OR CONSTRUCTION DOCUMENTS INCLUDING THOSE ISSUED BY CONSULTANTS AND NOMINATED SUB-CONTRACTORS BEFORE COMMENCING WORK.
5. MINIMUM STRENGTH POOF CONCRETE 21Mpa

ISSUED FOR
MEASUREMENT
PURPOSES

b	Issued for stage 3 coordination	04.02.22
REV.	DESCRIPTION	DATE
<div><div>CLIENT</div><div><div>SOUTHERN AFRICAN DEVELOPMENT COMMUNITY</div></div></div>		
<div><div>JOB TITLE</div><div>SADC STANDBY FORCE REGIONAL LOGISTICS DEPOT, AT RASESA, GABORONE, BOTSWANA,</div></div>		
<div><div>DWG TITLE</div><div>WAREHOUSE WINDOW SCHEDULE</div></div>		
SCALE	AS SHOWN	JOB No. G649
DATE	JANUARY 2022	DRAWN BY KT
REV.	B	CHECKED BY AM
<div>Project Team:</div> <div><div>Architect Quantity Surveyor Electrical Engineers Mechanical Engineers Civil Engineers Structural Engineers</div><div>FMA Architects Tatner & Townsend (Pty) Ltd. G4 Consulting Engineers (Pty) Ltd. G4 Consulting Engineers (Pty) Ltd. Botlaga Bureau Botswana (Pty) Ltd. Botlaga Bureau Botswana (Pty) Ltd.</div></div>		
<div><div></div><div>FMA ARCHITECTS (PTY) LTD. P.O. BOX 201504 BONTLENG GABORONE, BOTSWANA. TEL: 3959812/3 FAX: 3959814 E-MAIL: fmagabs@info.bw</div></div>		
DRWG. No.	G649	SADC/ARCH/2/014/1-404