



- NOTES:**
- 1) FENCING TO BE MESH WIRE
FENCING PATTERN 7-113-30 1200mm HIGH STRAIN OR SIMILAR APPROVED
 - 2) MAXIMUM SPACING FOR STRAINING POSTS IN STRAIGHT LEVEL CONDITIONS SHALL BE 100m
 - 3) STRAINING POSTS, STAYS AND STANDARDS TO BE HOT DIPPED GALVANISED MILD STEEL TO C.K.S. 82-1977 AND SABS 763. DROPPERS TO BE TYPE B ACCORDING TO CKS 82-1977 AND GIVEN ONE COAT OF BITUMINOUS PAINT
 - 4) CONCRETE BASES TO BE CLASS 15/38

EMPLOYER:

SOUTHERN AFRICAN DEVELOPMENT COMMUNITY

PROJECT :

CONSTRUCTION OF SADC STANDBY
FORCE REGIONAL LOGISTIC DEPOT

ENGINEER :

B Bothakga Burrow
Engineering Solutions Today, For Tomorrow

Unit No. 24 Kgale Mews, Plot 115, Millenium Office Park, Gaborone
P.O. Box 380 Gaborone, Botswana
Tel: +267 3551851 Fax: +267 3912554
email: bbb@bbk.co.bw

DESIGNED C.S.M.	DRAWN C.S.M.	CHECKED I.M.	REVIEWED T.T.M.	APPROVED ***
DATE APRIL 2022	DATE APRIL 2022	DATE APRIL 2022	DATE APRIL 2022	DATE APRIL 2022
REVISION				MARK
MEASUREMENT				A
				DATE
				APRIL 2022
				BY
				T.T.M

DRAWING TITLE

SECURITY FENCING
1500mm HIGH DIAMOND MESH FENCE DETAILS

SCALE: 1:25

CONTRACT: SADC/RLD CONST/01

DRAWING No. BL813/100/01

REV A